

TWO-WHEEL TRACTORS

Designed for versatility



Two-wheel Tractor 720



3 forward and 2 reverse speeds in two-wheel tractor position

2 forward and 2 reverse speeds in motor mower position

Quick reverser of the forwarding direction

Independent power take-off at 990 r.p.m. with engagement in oil bath

Dry clutch with manual control

Safety device: MOTOR STOP combined with the clutch and automatic reverse speed stop

ENGINE	MODEL	POWER (kw / hp)	START
Petrol	Honda GX200	4,1 / 5,5	Recoil
Petrol	Honda GX270	6,3 / 8,4	Recoil or Electric starter
Diesel	Lombardini 15LD350	5,5 / 7,5	Recoil

Two-wheel Tractor 730



3 forward and 2 reverse speeds in two-wheel tractor position

2 forward and 2 reverse speeds in motor mower position

Quick reverser of the forwarding direction

Independent power take-off at 990 r.p.m. with engagement in oil bath

Dry clutch with manual control

Differential with lock

Safety device: MOTOR STOP combined with the clutch and automatic reverse speed stop

MODEL	POWER (kw / hp)	START	MODEL
Petrol	Honda GX270	6,3 / 8,4	Recoil or Electric starter
Petrol	Honda GX340	8 / 10,7	Recoil
Diesel	Lombardini 15LD350	5,5 / 7,5	Recoil or Electric starter

Two-wheel Tractor 740



- 4 forward and 3 reverse speeds in two-wheel tractor position
- 3 forward and 3 reverse speeds in motor mower position
- Quick reverser of the forwarding direction
- Independent power take-off at 990 r.p.m. with engagement in oil bath
- Dry clutch with manual control
- Differential with lock
- Independent brakes on the two wheels
- Safety device: MOTOR STOP combined with the clutch and automatic reverse speed stop

MODEL	POWER (kw / hp)	START	MODEL
Petrol	Honda GX270	6,3 / 8,4	Recoil or Electric starter
Petrol	Honda GX340	8 / 10,7	Recoil
Petrol	Honda GX390	8,7 / 11,7	Recoil or Electric starter
Diesel	Yanmar LN100	7,5 / 10	Recoil or Electric starter
Diesel	Lombardini 15LD440	8,1 / 11	Recoil or Electric starter

Two-wheel Tractor

750

PowerSafe®



3 forward and 3 reverse speeds

Quick reverser of the forwarding direction

Safety devices in conformity with the current rules

Hydraulic clutch with Powersafe® manual control

Differential with lock

Reduction units on the wheels

Implement quick hitch

Independent work brakes on the two wheels

Safety devices in conformity with the current rules

MODEL	POWER (kw / hp)	START	MODEL
Petrol	Honda GX390	8,7 / 11,7	Recoil
Diesel	Lombardini 15LD440	8,1 / 11	Recoil or Electric starter
Diesel	Lombardini 3LD510	9 / 12,2	Recoil or Electric starter